Date:

Monday, 28/08/2006 2:19:57 PM

Liser:

Linda Lacelle

Process Sheet

Customer Job Number

: CC-DAR01 Dart Aerospace Ltd.

Drawing Name

: D2521 / K10015

Estimate Number

: 28148

: 10804 P.O. Number

: NIA

S.O. No. : N) : 28/08/2006

This Issue Prsht Rev. : NC

: 10/08/2006 First Issue

Type

: 00015 **Previous Run**

Written By

Checked & Approved By Comment

Part Number

: K10015

Drawing Number

· Z_CUSTOM

Project Number Drawing Revision

: NIA :NIA

Material **Due Date** : NIM : 17/08/2006

Qty:

Each 1 Um:

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0 HAAS1 HAAS CNC VERTICAL MACHINING #1



Comment: HAAS CNC VERTICAL MACHINING #1

CUT BLANK PER FOLIO FA222 (19.50 X 48.00" - 2 PER KIT)

MACHINE PER FOLIO FA222 & DRWG D2521 REV.J

see Hechor

2.0

MUHMWB10

UHMW 1" Black



Comment: Qty.: 13.0000 sf(s)/Unit Total: 13.0000 sf(s)

UHMW 1" Black

19101254



3.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

SECOND CHECK



4.0

Comment: SECOND CHECK

PACKAGING 1 5.0

PACKAGING RESOURCE #1





Comment: PACKAGING RESOURCE #1

PICK KIT:

2 X D2521 B 28148 (REF)

Monday, 28/08/2006 2:19:57 PM Date: User: Linda Lacelle **Process Sheet Drawing Name:** D2521 / K10015 Customer: CC-DAR01 Dart Aerospace Ltd. Part Number: K199915 D205 S64-01 Job Number: 28148 Job Number: Description: Seq. #: **Machine Or Operation:** Neoprene Cushion-.750 bl 6.0 D2182B Comment: Qty.: 3.6700 f(s) 3.6700 f(s)/Unit Total: Basoya Neoprene Cushion-.750 bl 7.0 D2274 Radius Block 20.0000 Each(s) Comment: Qty.: 20.0000 Each(s)/Unit Total: Radius Block 8.0 D2529 Washer 20.0000 Each(s)/Unit Total: 20.0000 Each(s) Comment: Qty.: Washer B27876 Clamp D2947 9.0 Comment: Qty.: 8.0000 Each(s) 8.0000 Each(s)/Unit Total: Clamp 328770 CLAMP D3544041 10.0 Comment: Qtv.: 4.0000 (s)/Unit Total: 4.0000 (s) **CLAMP** Bolt 11.0 Comment: Qty.: 8.0000 Each(s)/Unit Total: 8.0000 Each(s) M10/59 Bolt Bolt AN415A 12.0 ၁၀ Comment: Qty: 10 18.0000 Each(s)/Unit Total: 46:0000 Each(s) Bolt Bolt AN4174 13.0 4.0000 Each(s) 4.0000 Each(s)/Unit Total: Comment: Qty.: Bolt

Date: Monday, 28/08/2006 2:19:57 PM User: Linda Lacelle **Process Sheet** Customer: CC-DAR01 Dart Aerospace Ltd. **Drawing Name:** D2521 / K10015 D205-564-071 Part Number: K10015 Job Number: 28148 Job Number: Seq. #: Description: **Machine Or Operation:** 14.0 AN960JD416 Washer Comment: Qty.: 20.0000 Each(s) 20.0000 Each(s)/Unit Total: Washer Nut 15.0 MS21042L4 Comment: Qty.: 20.0000 Each(s)/Unit Total: 20.0000 Each(s) Nut OR MS21042-4 INSPECT 100% KITS FOR COMPLETENESS 16.0 QC4 Comment: INSPECT 100% KITS FOR COMPLETENESS PACKAGING RESOURCE #1 17.0 Comment: PACKAGING RESOURCE #1 PACKAGE PER PPP DOCUMENT CONTROL 18.0 DC Comment: DOCUMENT CONTROL (Laci08/29 Job Completion

Page 3

Form: rprocess

Qty:

Date:

Thursday, 10/08/2006 11:01:48 AM

User:

Linda Lacelle

Process Sheet

Customer Job Number : CC-DAR01 Dart Aerospace Ltd.

S.O. No. :

Type

: 28148 : 10804

Estimate Number

P.O. Number :

P.O. Number
This Issue

: 10/08/2006

: 10/0

Prsht Rev. : NC

First Issue : //
Previous Run : 00015

Writton By

Written By

Checked & Approved By

Comment

Part Number

Drawing Name

Drawing Number

Project Number

Drawing Revision

Material Due Date

: 17/08/2006

: D2521 / K10015

: Z_CUSTOM

· Z_CUSTOM

2 Um:

Jm: Each

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0 HAAS1

HAAS CNC VERTICAL MACHINING #1



Comment: HAAS CNC VERTICAL MACHINING #1

Ind olo/08/25

Job Completion



19101627 19101253

1. Cet Blank ASpen Folio FAZZZ BAtch: MICIZSY PLOUGO8/25 2 2. Machine AS pen Folio FAZZZ & Dwg D2521 Rev 5.

QCZ

Int 06/08/25 2

QC8

5n 06/00/25 +2

- 19.50+48


PRELIMINARY ISSUE

DESIGN	<u> </u>	DRAWN BY	DART AEROSPA HAWKESBURY, ONTAR	
CHECK	ED	APPROVED	DRAWING NO. D2521	REV. J SHEET 1 OF 3
DATE			TITLE	SCALE
	06.0	07.28	205 BEARPAW	NTS
Δ		15 11 28	NEW ISSUE	

		1		
			D2521	SHEET 1 OF 3
DATE			TITLE	SCALE
	06.0	7.28	205 BEARPAW	NTS
Α	9:	5.11.28	NEW ISSUE	
В	96	6.01.11	SHOW BENDING MOVE HOLES	
С	96	6.01.29	ADJUST HOLE LOCATION FOR TO	OLING
D	96	6.05.14	ADJUSTED BEAR PAW THICKNESS	3
E	96	6.12.18	43.500 WAS 46.750	
F	97	7.05.07	ADDED REAR POCKET, MOVED HO	DLES
G	98	3.08.06	ADD C'BORE AND CHAMFER EDGE	ES
Н	03	3.01.30	CHANGE GEOMETRY FOR RUN-ON	N LDG.
ı	05	5.05.20	REMOVE BEND; CHANGE TOLERA	NCES
J	06	6.07.28	CHANGE FOR FLOAT SKIDTUBE	

PRELIMINARY ISSUE

DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECKED	APPROVED	DRAWING NO. D2521	REV. J SHEET 2 OF 3	
DATE	<u> </u>	TITLE	SCALE	
06.07.28		205 BEARPAW	1:8	




NOTES:

- 1) MATERIAL: UHMW BLACK PER SPEC CONTROL DRAWING D2689, 1.000 THICK (MACHINE TO 0.950)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL UNMARKED SHARP EDGES 0.005 TO 0.030
- 6) PART IS SYMMETRIC ABOUT Q


COPYRIGHT © 1995 BY DART AEROSPACE LTD.

PRELIMINARY ISSUE

DESIGN C B	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
CHECKED	APPROVED	DRAWING NO.	REV. J		
		D2521	SHEET 3 OF 3		
DATE		TITLE	SCALE		
06.07.28		205 BEARPAW	1:4		







DART AEROSPACE LTD			Work Order:	28148
46				
Description: 205 BEARPAW	بره.	``	Part Number:	D2521
Inspection Dwg: D2521, Rev: J			·	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Article X Prototype


	Drawing Dimension	Tolerance	Actual Dimension	Accept	Rejest	Method of Inspection	Comments
A	6.62	±.03 t	6.628				
В	0.95	+ 030	0.960	<u> </u>			
C	0.38	±,030 =,010	0.370				
ס	0.19×45°	±. 036	0,193x450				
E	4.00	±,030	3.499				
F	0.25	±.030 =.060	0.243				
G-	19.00	±,030	19.000				
Н	0.38	±.030	0.390				
I	0.75	+.036 -:016 +.036 00	0.740				· ·
5	0.25	+.030 00	0.245				
K	0,38x 450	± 030	0.390X450				
ا ڪ	3.41	+ 036	3.420				1
n	0.75	+·030 -·01b	0.747				
ν	7.200	± 005	7.200				
0	11.800	I.005	11.800				· ·
P	2.440	- 005	2.440				
Q	21.750	- 005	21.750				
R	35.000	± 005	35.000				2
S	43.500	± 005	43.500				· · · · · · · · · · · · · · · · · · ·
T	44.500	+.005	44.500				
ч	\$ 0.261	±.005 ±.005 ±.006	80.261				· · · · · · · · · · · · · · · · · · ·
V	Ø 0.93	±030	00.930				
w	80.30	±.030	E0:315				

Measured by:	Til	Audited by:	MS	Prototype Approval:	
Date:	06/08/25	Date:	06/08/25	Date:	

Rev	Date	Change	Revised by	Approved
Α		New Issue	KJ/JLM	

RELIMINARY ISSUE

DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECKED	APPROVED	D2521	REV. J SHEET 2 OF 3	
DATE		TITLE	SCALE	
06.07.28		205 BEARPAW	1:8	



NOTES:


- 1) MATERIAL: UHMW BLACK PER SPEC CONTROL DRAWING D2689, 1,000 THICK (MACHINE TO 0.950)
- FINISH: NONE
- TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL UNMARKED SHARP EDGES 0.005 TO 0.030
- 6) PART IS SYMMETRIC ABOUT &

COPYRIGHT © 1995 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

KELIMINARY ISSUE

DESIGN DRAWN BY		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECKED	APPROVED .	DRAWING NO.	REV. J SHEET 3 OF 3	
DATE 06.0	7.28	205 BEARPAW	SCALE	



4.0 WEIGHT AND BALANCE

,	LATERAL			LONGITUDINAL		
Installation	Weight	Arm	Moment	Arm	Moment	
D205-564-011	23.0 lb	0.0 in	0.0 lb-in	159.5 in	3668.5 in-lb	
(204)	10.45 kg	0.0 m	0.0 m-kg	4.05 m	42.3 m-kg	
D205-564-011	23.0 lb	0.0 in	0.0 lb-in	172.0 in	3956.0 in-lb	
(205/210/212/214/412)	10.45 kg	0.0 m	0.0 m-kg	4.37 m	45.7 m-kg	

	LATERAL		ERAL	LONGITUDINAL		
Installation	Weight	Arm	Moment	Arm	Moment	
DSI-9328-011	15.0 lb	0.0 in	0.0 lb-in	146.5 in	2198 in-lb	
(204)	6.8 kg	0.0 m	0.0 m-kg	3.72 m	25.3 m-kg	
DSI-9328-011	15.0 lb	0.0 in	0.0 lb-in	159.0 in	2385 in-lb	
(205/210/212/214/412)	6.8 kg	0.0 m	0.0 m-kg	4.04 m	27.5 m-kg	

5.0 PARTS LIST

Qty	Part Number	Description
X	D205-564-011	BEARPAW INSTALLATION
	_	
8	D2182B055	RUBBER CUSHION
20	D2274	RADIUS BLOCK
2	D2521	BEARPAW
20	D2529	WASHER
8	D2947	CLAMP
4	D3544-041	CLAMP
8	AN4-13A	BOLT
16	AN4-15A	BOLT
(4)	AN4-17A*	BOLT
20	AN960JD416	WASHERS
20	MS21042L4	NUT (OR MS21042-4)

*Note: AN4-17A bolts are for installations on Bell Float Skidtubes

Qty	Part Number	Description
Х	DSI-9328-011	RUN-ON LANDING WEARPLATE KIT
2	D3511-041	WEARPLATE
16	AN4-17A	BOLT
4	AN4-11A	BOLT
4	AN970-4	WASHER
16	MS21042L4	NUT (OR MS21042-4)